

id 6428

Bogserbåt

[2011 DP2 AHTS OSV - 100 T BP/ 8000 BHP till salu](#)

Fartygs-id	6428
Kategori	Bogserbåt
Klass	ABS
Byggår	2011
Flagga	Marshallöarna
Pris	\$3,200,000
Leverans tillagt datum	2022-10-13
Tillagd av	Horizon Offshore Services

Fartygets mått

Längd totalt (LOA), m	67.4
Djup, m	7
Fartygs djupgående, m	5.9

Ytterligare information

Huvudmotor2 x 4000bhp
Självgående	
Däck	1

Liknande fartyg	Visa liknande fartyg
Förfrågningar	Matchande inköpsförfrågningar
e-post	Skicka epost



Ref: 04202

DP2 AHTS VESSEL AVAILABLE FOR SALE



Key Features

- DP2
- 420m² Deck Space
- 8000 BHP
- 100T Bollard Pull

DP2 AHTS

Class Notation B&L, Towing Vessel, Fire Fighting Vessel Class L, Offshore Support Vessel Class, 42, 48 AHTS, 48 AHTS, 48 DP2-L
Place of Build China
Year of Build 2011
Flag Marshall Island

Main Particulars
Design Custom Vts and Associates
LDA 47.50m
Breadth 14.50m
Depth 7.00m
Max Loaded Draft 5.90m

Performance
Max Speed 13 knots
Engine/total Speed 8.4 kts
Bollard Pull 100T BP

Capacity
Displacement 2100 tons
Onboard Passage 2000 tons
Deck Load Approx. 800 Tons
Crane Deck Dim. 30m x 30m
Deck Area 4200m²
Deck Strength 15.0m²
Dry Bulk Capacity 4 x 12.5m³
Dist / Ballast Water 780m³
Portable Water 230m³
Oil Storage/Used 300m³
Waste Sewage Tanks w/ OBM
Fuel Oil 1100m³
Forester Room 30m³
Cooker Room 12m³

Deck Equipment
Capstans 2 x 20T @ 15m/min
Rigger Winch 1 x 10T @ 15m/min
Deck Crane 2T @ 34m
Rescue Boat 1 x 8 persons

Propulsion Arrangement
Installation 10T @ 15m/min

Discharge
Waste Water 1 x 80m³/hr @ 100m
Ballast / Dist Water 1 x 50m³/hr @ 100m
Dry Bulk 2 x 100m³/hr @ 100m
Liquid Mud / Slime 1 x 80m³/hr @ 80m
Feed Oil 1 x 80m³/hr @ 70m

Propulsion and Main Drive
HP 8000HP
Main Engines 2 x 4000HP
Main Engines- Make / Type Wipac W6L2000L
Propulsion 2 x CPP with twin Nozzles

Thruster
Wts 2 x 6.0m³ Thrust
Tank 1 x 6.0m³ Thrust

Main Engine
Wts/ Generation 2 x 1500 KW
Driver Generation 2 x 1500 KW
Emergency/Generation 1 x 15 KW
Supply System- Voltage 400V/3Ph/3W

Accommodation
Single Berth Cabins 6 x 1 berths
Double Berth Cabins 2 x 2 berths
Triple Berth Cabins 8 x 1 berths
Total Accommodation 42 berths
Wts

Towing and Anchor Handling Wts
Line Pull 2000T
Brake Capacity 8000T
Towing Drum 1200m x 40mm
Anchor Handling Drum 1200m x 40mm
Spread 2 x 1.40m/ton
Shank Use 300T SWL
Towing Pin 300T SWL
Shank Wire-Rope 1200m x 40mm
Wires Ropes 300T SWL, 4.0m x 2.0m

Specialty Positioning System
DP System Comprehensive DP2 DP System
DP/USV
Reference 2 x DGPS + Compass

This technical specifications are for general guidance only and is subject to change without notice. Please Contact

accepts no responsibility, and disclaims all liability for any errors and/or omissions in this specification. The vessel is always offered on "as is, where is" basis.